Metalas MC100 Top Loading Spray Wash

Stock No	DF1619J
Manufacturer	Metalas
Model	MC100
Year of Manufacture	2002Ref 26
Serial	4990 342/02
Condition	Refurbished by RSW, Good Condition
Work Envelope (WxDxH mm)	Ø900 x 400mm
Process Stages	Single stage hot detergent wash
Other Info	Compact Cellular Washer
Location	Our Central Warehouse, Aldridge, UK
Weight (kgs)	225
External Dimensions (WxDxH mm)	1175 x 1300 x 1155mm

Description

This Metalas MC100 top loading wash is a competitively priced machines which require less space to achieve maximum cleaning efficiency with minimum operating costs.

- Metalas rotary spray cleaners put a stop to all other time consuming and high cost cleaning methods.
- Metalas - cleaning machines are specially designed for cleaning components in industrial and maintenance workshops during both manufacture and assembly, as well as refurbishing in the motor vehicle trade

and all at minimal cost.
- The surprisingly effective and thorough cleaning is obtained by the combination of high velocity spray jets, a large volume of heated detergent water and bouncing whirlpool action which cleans the dirtiest parts in 5 to 15 minutes and all within a totally enclosed system.
- The machines clean everything, not only ferrous and non ferrous metals but also plastics, ceramics etc.

Standard Features:

- Magnetic lid locking
- Wash timer 0-60 mins.
- Temperature controlled thermostat 0-120°C
- Heating Switch
- Heating pilot light
- Lid protection switch
- Covered liquid tank
- Continuous return flow filtration
- Drain valve 2" BSP
- Immersion heater
- Switch control panel box fitted with mains isolator
- Thermal motor overload protection*

Specifications of the MC100

Overall dimensions

- Width 1175 mm
- Depth 1300 mm
- Height 1155 mm
- Height (lid open) 2010 mm

Basket dimensions

- Loading surface Ø920 mm
- Useful height 550 mm

Technical Details

- Admissible grid load 350 kg
- Weight of machine 225 kg
- Capacity pump/motor 18 m³hr / 2.2 kw
- Jet pressure 2.2 ato
- Liquid storage 100 ltr
- Electric heating 6 kw
- Spray driven turntable

Electrical supply

- 13.5A
- 400v
- 3ph
- 8.5kw

Photographs taken prior refurbishment. Our refurbishment service is not available on all machines.