

## Metalas MC100 Top Loading Spray Washer



|                                |                                     |
|--------------------------------|-------------------------------------|
| Stock No                       | <a href="#">DF1627J</a>             |
| Manufacturer                   | <a href="#">Metalas</a>             |
| Model                          | MC100                               |
| Year of Manufacture            | Ref 26                              |
| Condition                      | Refurbished by RSW, Good Condition  |
| Work Envelope (WxDxH mm)       | Ø900 x 400mm                        |
| Process Stages                 | Single stage hot detergent wash     |
| Other Info                     | Compact Cellular Washer             |
| Location                       | Our Central Warehouse, Aldridge, UK |
| Weight (kgs)                   | 225                                 |
| External Dimensions (WxDxH mm) | 1175 x 1300 x 1155                  |

### Description

This refurbished Metalas MC100 cleaning machines is specially designed for cleaning components in industrial and maintenance workshops during both manufacture and assembly, requiring less space to achieve maximum cleaning efficiency with minimum operating costs.

Metalas rotary spray cleaners put a stop to all other time consuming and high cost cleaning methods.

Metalas - cleaning machines are specially designed for cleaning components in industrial and maintenance workshops during both manufacture and assembly, as well as refurbishing in the motor vehicle trade and all at minimal cost.



The surprisingly effective and thorough cleaning is obtained by the combination of high velocity spray jets, a large volume of heated detergent water and bouncing whirlpool action which cleans the dirtiest parts in 5 to 15 minutes and all within a totally enclosed system.

The machines clean everything, not only ferrous and non ferrous metals but also plastics, ceramics etc.

### Standard Features:

- Magnetic lid locking
- Wash timer 0-60 mins.
- Temperature controlled thermostat 0-120°C
- Heating switch
- Heating pilot light
- Lid protection switch
- Covered liquid tank
- Continuous return flow filtration
- Drain valve 2" BSP
- Immersion heater
- Switch control panel box fitted with mains isolator
- Thermal motor overload protection

### Specifications of the MC100

#### Overall Dimensions

- External dimensions (WxDxH) - 1175mm x 1300mm x 1155mm
- Height (lid open) - 2010mm

#### Basket Dimensions

- Loading surface - Ø920mm
- Useful height - 550mm

#### Technical Details

- Admissible grid load - 350kg
- Weight of machine - 225kg
- Capacity pump/motor - 18m<sup>3</sup>hr / 2.2kw
- Jet pressure - 2.2 ato
- Liquid storage - 100 litre
- Electric heating - 6kw
- Spray driven turntable

#### Electrical supply

- 13.5A
- 400v
- 3ph
- 8.5kw

The Marketplace for Surface Technology.  
New and Used Process Equipment & Machinery.  
*Machine Datasheet*



Photographs taken prior refurbishment. Our refurbishment service is not available on all machines.



Surface  
Engineering  
Association

Riley Industries Ltd  
A subsidiary of Barry Riley & Sons Ltd. Director: M P A Riley, Secretary: D Hemming  
Registered in England no. 1965748



European  
Association of  
Machine Tool  
Merchants