

Guyson International Guyson Euro 6SF Shotblaster with Extractor



Stock No	SF1105
Manufacturer	Guyson International
Model	Euro 6 SF
Year of Manufacture	1996
Serial	801861 (Dust Extractor)
Work Envelope (WxDxH mm)	980 x 740 x 830
Work Handling Method	Multiple Door Access
Other Info	Free Standing Extractor -Improve Vision
Location	Our Central Warehouse, Aldridge, UK
Weight (kgs)	200 + 200
External Dimensions (WxDxH mm)	1120 x 800 x 1820

Description

Second hand popular Guyson Model Euro 8 suction venturi feed blast cabinet which has a universal appeal for all those medium sized engineering blast and cleaning jobs.

This shot blasting equipment offers a faster alternative to labour intensive operations such as hand deburring, scraping and wire brushing, chemical cleaning, acid etching or dipping, liquid honing, knife trimming, sanding, grinding and many others.

Typical uses of the suction feed system include:

- Cleaning without dimensional change
- Using dryblast techniques pioneered by Guyson, even complicated shapes and sensitive materials can be efficiently cleaned without substrate erosion or dimensional change. Ideal for the precision cleaning of moulds, dies and tools without damage to delicate surfaces.

Cosmetic finishing

- Increasingly, cosmetic finishes can be the competitive edge that makes your product more attractive to the consumer. Whether you are addressing minor surface imperfections,

Deburring

- Blast finishing can speedily remove lightly attached burrs from complex machined components and can be more effective than hand or machine deburring in areas with poor accessibility. Non-abrasive deburring media leave even fragile materials untouched.

Deflashing

- Beadblasting can be used to rapidly and thoroughly deflash resin-moulded or die-cast components. Brittle flash can be cleanly removed from intricate components without altering adjacent surfaces by precise selective impact treatment.

Descaling

- Use bead or grit blasting to quickly remove heat scale, surface discoloration, oxides, rust, weld scale or corrosion. Restore a component's looks and remove surface problems that interfere with painting, plating, coating, drawing and other processes.

Maintenance clean, re-manufacture, refurbish

- Guyson blast cabinets are successfully used in maintenance workshops, repair shops, service centres, garages and military depots on a varied component mix. They can eliminate laborious hand work, chemical cleaning and environmental issues from the workshop, and they are ideal for automotive core re-manufacture operations and refurbishing cutting tools, TCT and diamond tipped routers, saw blades, drills etc.

Surface etching

- Improved surface preparation or 'keying' of component surfaces can be achieved using Guyson blast equipment. Fine media blasting in one of our blast systems delivers very real improvements in adhesion for performance critical components such as medical implants when they are etched prior to ceramic or PVD/CVD coating.

Features include:

- Internal dimensions of 1050w x 740dx 800h mm.
-

The Marketplace for Surface Technology.
New and Used Process Equipment & Machinery.
Machine Datasheet



Powered cyclonic media separation for efficient media grading.

- Front access doors 980 x 870mm.
- R/H side access door 545 x 530mm.
- Twin gauntlets.
- Air pressure regulator.
- Fixed gun holster.
- Front viewing window.
- Internal lighting.

Includes separate 70 DC dust filter unit:

- S/No. 801861
- 230v, 1ph,
- 50hz, Y of M 1996.
- 830 x 990 x 1520
- 135kg

Photographs taken prior refurbishment. Our refurbishment service is not available on all machines.



Surface
Engineering
Association

Riley Industries Ltd
A subsidiary of Barry Riley & Sons Ltd. Director: M P A Riley, Secretary: D Hemming
Registered in England no. 1965748



European
Association of
Machine Tool
Merchants